


# Elk

## Translucent Cellular Fabric



YewdaleDefiant® Elk - Translucent

# YewdaleDefiant®

## Elk - Translucent


### shading efficiency

**Transmittance** is the amount of light and heat transmitted beyond the fabric. The lower the amount, the greater the efficiency.

**Block/reflect** is the amount of heat and light that is blocked or reflected. The higher the amount, the greater the efficiency.

**Absorption** is the amount of heat and light absorbed in the fabric. The higher the amount, the lower the efficiency.


**Ultraviolet** protection illustrates how protective the fabric is against ultraviolet rays. The higher the amount, the greater the effectiveness.



	3000mm	Light Transmittance %	Light Reflection %	Light Absorption %	Solar Transmittance %	Solar Reflectance %	Solar Absorption %	Ultraviolet Transmittance	GTOT	Shading Co-efficiency
Frost		28	62	10	29	61	10	15	0.40	0.53
Sesame		25	69	6	25	67	8	11	0.37	0.49
Linen		19	66	15	20	63	17	5	0.38	0.50
Fossil Grey		18	62	20	20	60	20	8	0.40	0.53
Chocolate		15	58	27	16	56	28	7	0.41	0.54
Mist		20	63	17	21	61	18	7	0.39	0.51
Ash		16	60	24	18	57	25	6	0.41	0.54
Graphite		15	65	20	17	62	21	7	0.38	0.50
Steel		14	58	28	15	56	29	6	0.41	0.54
Coal		15	56	29	16	53	31	7	0.43	0.57

Available as Wholesale and Made to Measure  
**Cell Shape / Size:** 25mm (3/8")  
**Weight Approx:** 210 g/m<sup>2</sup> (EN12127)  
**Material:** 80% Recycled Polyester, 20% Polyester  
**Width:** 3000mm **Pack Size:** 12m  
**Material Thickness:** 0.25mm (EN ISO 5084)  
**Lightfastness:** 5-6< (EN ISO 105-B02)  
**Moisture Resistance:** Yes  
**Cleaning Instructions:** Damp Sponge


Please enquire about other pleated fabrics that we have available...



F53



Frost



Sesame



Linen



Fossil Grey



Chocolate

# Elk Translucent

# Cellular Fabric



Mist




Ash



Graphite



Steel



Coal