

Fitting Instructions

for YewdaleVitesse[®] curtain tracks
(5600W)



Fitting Instructions

YewdaleVitesse[®] curtain tracks
(5600W)



Part no: 1009

yewdale.co.uk

Fitting Instructions


YewdaleVitesse® curtain tracks (5600W)

5600W Hand Drawn Window Track:



5600W Hand Drawn Window Track:

1. Unpack the track and brackets.
2. If the track is top fix, go to point 3. If it is face fix go to point 4.
3. For top fix, locate the brackets onto the track at 600mm spacing, ensuring that there are no brackets further than 100mm in from either end. Lift the track into its desired position and click it in place using the appropriate screws.



4. Fix the face fix brackets in position, ensuring the brackets are spaced no more than 600mm apart and that there is a bracket no further than 100mm in from either end. Lift the track up and click it onto the brackets.

5. Check gliders move freely within profile.

NB. Large curtain tracks are heavy and it is important that the correct fixings are used. If unsure, seek expert advice.



Yewdale, Enterprise Way,
Wickford, Essex SS11 8DH

Call +44 (0)1268 570900

Email enquiries@yewdale.co.uk

Visit yewdale.co.uk

For more information on all
Yewdale products, please call
the sales department.



yewdale **Defiant**[®]
FABRIC AND BLIND SYSTEMS



yewdale **Kestrel**[®]
MAGNETIC ANTI-LIGATURE SYSTEM



yewdale **Movatrack**[®]
CURBICLE AND TRACK SYSTEMS



yewdale **Harrier**[®]
CURBICLE AND SHOWER CURTAINS



yewdale **Vitesse**[®]
CURTAIN TRACK SYSTEMS