

Fitting Instructions

for YewdaleVitesse[®] curtain tracks
(6700W)



Fitting Instructions

for YewdaleVitesse[®]
curtain tracks (6700W)



Part no: 1016

yewdale.co.uk

Fitting Instructions

YewdaleVitesse® Curtain Tracks (6700W)

6700W Hand Drawn Window Track:





6700W Hand Drawn Window Track:

1. Unpack the track and fix either the top fix or face fix brackets (including extension brackets) in place using the appropriate screws. Brackets should be 100mm in from either end and spaced at no more than 800mm between. Ensure brackets are left in open position.
2. If the track has a join in place, install this before lifting the track into place. A second person would be required if a join is used within the track.
3. Lifting the track into place, insert the brackets into groove on the top of the track. Once in place, turn the locator into place to lock the track onto the brackets.
4. Check that the track operates smoothly and correctly before hanging the curtains.

NB. Large curtain tracks are heavy and it is important that the correct fixings are used. If unsure, seek expert advice.



Yewdale, Enterprise Way,
Wickford, Essex SS11 8DH

Call +44 (0)1268 570900

Email enquiries@yewdale.co.uk

Visit yewdale.co.uk

For more information on all
Yewdale products, please call
the sales department.



yewdale **Defiant**[®]
FABRIC AND BLIND SYSTEMS



yewdale **Kestrel**[®]
MAGNETIC ANTI-LIGATURE SYSTEM



yewdale **Movatrack**[®]
CURBICLE AND TRACK SYSTEMS



yewdale **Harrier**[®]
CURBICLE AND SHOWER CURTAINS



yewdale **Vitesse**[®]
CURTAIN TRACK SYSTEMS