

## Fitting Instructions

for YewdaleVitesse<sup>®</sup> curtain tracks  
(7700W)



## Fitting Instructions

for YewdaleVitesse<sup>®</sup>  
curtain tracks (7700W)

Part no: 922


[yewdale.co.uk](http://yewdale.co.uk)

# Fitting Instructions


## YewdaleVitesse® Curtain Tracks (7700W)

### Safety Instructions:

1. Loops in pull cords, chains, tapes and inner cords that operate the product can cause strangulation
2. To avoid strangulation and entanglement, keep cords out of the reach of young children. Cords may become wrapped around a child's neck
3. Move beds, cots and furniture away from window covering cords
4. Do not tie cords together. Make sure cords do not twist and create a loop



## 7700W Cord Drawn Window Track:



1. Unpack the track and fix either the top fix or face fix brackets (including extension brackets) in place using the appropriate screws. Brackets should be 100mm in from either end and spaced at no more than 800mm between. Ensure the brackets are left in the open position.
2. If the track has a join in place, install this before lifting the track into place. A second person is necessary to help lift the track if a join be used.
3. Lifting the track into place, locate the brackets into the groove on the top of the track. Once located, turn the locator into place to lock the track onto the brackets.
4. Once the track is installed, the cord tensioner will need to be fixed to the wall (unless the cord weight is supplied) and a fixing should be put through the fixing ring on each of the pulleys if it is top fixed.
5. Check the track operates smoothly and correctly before hanging curtains.

**NB. Large curtain tracks are heavy and it is important that the correct fixings are used. If you are unsure, seek expert advice.**

6. Ensure child safety device is used. The cord tidy should be at a maximum distance from the control mechanism, keeping the loop taut (not under excessive tension however as this could negatively affect the longevity and operation of the track). Put the retaining device on the wall, mark fixing holes with a pencil, drill the holes and screw the device to the wall with suitable fixings.



Yewdale, Enterprise Way,  
Wickford, Essex SS11 8DH

Call +44 (0)1268 570900

Email [enquiries@yewdale.co.uk](mailto:enquiries@yewdale.co.uk)

Visit [yewdale.co.uk](http://yewdale.co.uk)

For more information on all  
Yewdale products, please call  
the sales department.



yewdale **Defiant**<sup>®</sup>  
FABRIC AND BLIND SYSTEMS



yewdale **Kestrel**<sup>®</sup>  
MAGNETIC ANTI-LIGATURE SYSTEM



yewdale **Movatrack**<sup>®</sup>  
CUBICLE AND TRACK SYSTEMS



yewdale **Harrier**<sup>®</sup>  
CUBICLE AND SHOWER CURTAINS



yewdale **Vitesse**<sup>®</sup>  
CURTAIN TRACK SYSTEMS