





Fitting Instructions
YewdaleVitesse®
Curtain Tracks (6800W)

Part no: 1017


What you'll need




Screwdriver




Drill



Measuring Tape




Pencil




Screws

What's in the box



Track



Connecting Bridge



Warning

All instructions must be read
before installing the blind.



Fitting Time

Approx. 15 minutes




Need Extra Help?

You can find a helpful installation video by simply
scanning this QR Code or visiting our website


www.yewdale.co.uk/videos-page

6800W Curtain Tracks


- 01** Unpack the track and drill at the centre where fixings are suitable (max spacing 800 mm, and no closer than 100 mm from each end).



- 02** Lift the track into place and fix through the centre of the track using the appropriate screws.




- 03** If the track has a join, install it before lifting. A second person is required to help raise the track.



- 04** Check that the track operates smoothly and correctly before hanging curtains.



NB. Large curtain tracks are heavy and it is important that the correct fixings are used. If unsure, seek expert advice.





Head Office:

Enterprise Way,
Wickford, Essex, SS11 8DH
Call: +44 (0)1268 570900
Email: sales@yewdale.co.uk

For more information on all
Yewdale products, please call
the sales department.



yewdale **Defiant**[®]
FABRIC AND BLIND SYSTEMS

yewdale **Kestrel**[®]
MAGNETIC ANTI-LIGATURE SYSTEM

yewdale **Movatrack**[®]
CURTICLE AND TRACK SYSTEMS

yewdale **Harrier**[®]
CURTICLE AND SHOWER CURTAINS

yewdale **Vitesse**[®]
CURTAIN TRACK SYSTEMS