




Fitting Instructions
YewdaleKestrel[®]
Curtain Track

Part no: 937


Curtain Tracks

Instructions

01 Face fix



02 Top fix



Fixing into timber

Secure track to the wall/recess/ceiling using the screws provided.

Fixing into masonry

Fix track in centre hole then mark, drill and screw the rest of the holes with the screws provided.

Fitted to a batten


Ensure it has a sloping top/sides and the track footprint doesn't overhang the wall or batten.

Curtain hook recommendations

Min. 3mm / Max. 4mm



Please note



x16 /m


- The safety track requires 16 gliders per meter.
- Suited for non-pleated curtains (curtains with a heading tape)
- Inside of track profile to be lubricated for effective operation once installed.

Curtain Tracks

Warning


- YewdaleKestrel® products are designed as standalone products only.
- Care should be taken when assessing or arranging a room to ensure that YewdaleKestrel® products cannot be misused in conjunction with any other item, furniture or fixings in the room.
- It is the responsibility of the end user or client to ensure the product is suitable for the environment it is being installed in.
- YewdaleKestrel® products must be fitted by a qualified professional with an up to date training certificate and in accordance with the manufacturer's instructions.
- Failure to do so could jeopardise the product's effectiveness as an anti-ligature system.
- All installations must be checked and commissioned on completion to ensure the downward forces does not exceed the maximum nor that it is breaking away below the normal force.
- It is highly recommended that sign off proof that the product is installed and commissioned correctly is issued to the client after installation.

Tests carried out using 3mm wide curtain hook




Option 1 - Low Weight

12 - 17kg load release
with all white gliders



Option 2 - Standard

18 - 24kg load release
with alternating grey
and white gliders



Option 3 - Heavy Weight

30 - 36kg load release
with all grey gliders



For more information on installations, using the systems safely, load testing and maintenance, please scan the QR code to read our YewdaleKestrel® Policy.



Head Office:

Enterprise Way,
Wickford, Essex, SS11 8DH
Call: +44 (0)1268 570900
Email: sales@yewdale.co.uk

London Office & Showroom:

4 Sutton Lane,
London, EC1M 5PU
Call: +44 (0)203 818 5905

For more information on all
Yewdale products, please call
the sales department.

