




Fitting Instructions YewdaleVitesse® curtain tracks (7400W)

Part no: 951

Please note

All blinds should be installed by a person competent in DIY.
If in doubt, please consult a professional.

Safety Instructions



Loops in pull cords, chains, tapes and inner cords that operate the product can cause strangulation.



Keep cords out of the reach of young children.



Move beds, cots and furniture away from window covering cords




Do not tie cords together. Make sure cords do not twist and create a loop


Please note

All blinds should be installed by a person competent in DIY.
If in doubt, please consult a professional.


What you'll need



Screwdriver




Drill



Measuring Tape




Pencil




Screws

What's in the box




Track




Universal Bracket


Optional Extras




Top Fix




Angle Bracket



Extention Face Fix
Bracket



Extension Bracket



Connecting bridge



Warning

All instructions must be read
before installing the blind.



Fitting Time

Approx. 15 minutes




Need Extra Help?

You can find a helpful installation video by simply
scanning this QR Code or visiting our website


www.yewdale.co.uk/videos-page

NB. Large curtain tracks are heavy and it is important that the correct fixings are used. If unsure, seek expert advice.

- 01** The brackets should be 100mm in from either end and spaced at no more than 600mm between.




- 02** For top fix, use the universal brackets and fix into place using the appropriate screws. Screws must be pan head and if possible insert a washer.




Universal bracket

- 03** If the universal bracket are not being used, use the angle brackets on either end of the track.




angle bracket

- 04** For **face fix** use the universal brackets and fix into place using the appropriate screws. Screws must be pan head and if possible insert a washer.



Universal bracket


- 05** If an extension bracket is required, pair with the universal extension bracket for extra support.



Extension bracket


06

For the universal and face fix brackets, ensure the locator is facing down on the bracket before lifting the track in place.




07

Lift the track into place, insert the lugs on the front of the bracket into the back of the track.




08

Once located, turn the locator into place to lock the track onto the brackets.




09

If the track has a join in place, install the connecting bridge before lifting track into place. A second person would normally be required if a join be used within the track.




10

Once the track is installed, put the cord weight (tensioner) onto the cord, and if the track is top fix, ensure a fixing is inserted through the fixing ring on each of the pulles.




11

Check that the track operates smoothly and correctly before hanging curtains.




Ensure the relevant child safety device is used to comply with BS EN13120:2009+A1:2014, BS EN16433:2014 and BS EN16434:2014 as follows:
*You will have been provided with either a chain tidy or easy break chain connector

Top Fix



Face Fix





Head Office:

Enterprise Way,
Wickford, Essex, SS11 8DH

Call: +44 (0)1268 570900

Email: sales@yewdale.co.uk

For more information on all
Yewdale products, please call
the sales department.



yewdale **Defiant**[®]
FABRIC AND BLIND SYSTEMS

yewdale **Kestrel**[®]
MAGNETIC ANTI-LIGATURE SYSTEM

yewdale **Movatrack**[®]
CURTICLE AND TRACK SYSTEMS

yewdale **Harrier**[®]
CURTICLE AND SHOWER CURTAINS

yewdale **Vitesse**[®]
CURTAIN TRACK SYSTEMS